

PRODUCT

NALCO 8344 IRON REMOVER

Emergency Telephone Number Medical (708) 920-1510 (24 hours)

SECTION 1 PRODUCT IDENTIFICATION

TRADE NAME: NALCO 8344 IRON REMOVER

DESCRIPTION: An aqueous solution of citric acid

NFPA 704M/HMIS RATING: 1/1 HEALTH 1/1 FLAMMABILITY 0/0 REACTIVITY 0 OTHER

O=Insignificant 1=Slight 2=Moderate 3=High 4=Extreme

SECTION 2 HAZARDOUS INGREDIENTS

Our hazard evaluation has identified the following chemical ingredients as hazardous under OSHA's Hazard Communication Rule, 29 CFR 1910.1200. Consult Section 14 for the nature of the hazards.

INGREDIENT(S)

CAS #

APPROX.%

Citric acid

77-92-9

40+

SECTION 3 PRECAUTIONARY LABEL INFORMATION

WARNING: Causes burns to skin and eyes. Do not get in eyes, on skin, or on clothing. Wear goggles and face shield when handling. Do not take internally.

Empty containers may contain residual product. Do not reuse container unless properly reconditioned.

SECTION 4 FIRST AID INFORMATION

Flush with water for 15 minutes. Call a physician.

EYES:

Flush with water for 15 minutes.

INGESTION:

Do not induce vomiting. Give water. Call a physician.

NOTE TO PHYSICIAN: No specific antidote is known. Based on the individual reactions of the patient, the physician's judgment should be used to control symptoms and clinical condition.

CAUTION: If unconscious, having trouble breathing or in convulsions, do not induce vomiting or give water.

SECTION 5 HEALTH EFFECTS INFORMATION

PRIMARY ROUTES OF EXPOSURE: Eye, Skin

EYE CONTACT:

Can cause moderate irritation.

SKIN CONTACT:

Can cause moderate irritation.

PAGE 1 OF 7



NALCO

MATERIAL SAFETY DATA SHEET

PRODUCT

NALCO 8344 IRON REMOVER

Emergency Telephone Number Medical (708) 920-1510 (24 hours)

SECTION 5 HEALTH EFFECTS INFORMATION

(CONTINUED)

SYMPTOMS OF EXPOSURE: A review of available data does not identify any symptoms from exposure.

AGGRAVATION OF EXISTING CONDITIONS: A review of available data does not identify any worsening of existing conditions.

SECTION 6 TOXICOLOGY INFORMATION

ACUTE TOXICITY STUDIES: No toxicity studies have been conducted on this product.

SECTION 7 PHYSICAL AND CHEMICAL PROPERTIES

COLOR: Amber

FORM: Liquid

ODOR: Burned sugar

DENSITY: 10.3 lbs/gal.

SOLUBILITY IN WATER: Completely

SPECIFIC GRAVITY: 1.24 @ 59 Degrees F

ASTM D-1298

pH (NEAT) =

Less than 1

ASTM E-70

FREEZE POINT:

10 Degrees F 216 Degrees F @ 760 mm Hg ASTM D-1177 ASTM D-86

BOILING POINT: FLASH POINT:

VAPOR PRESSURE:

None

22 mm Hg @ 77 Degrees F

ASTM D-323

NOTE: These physical properties are typical values for this product.

SECTION 8 FIRE AND EXPLOSION INFORMATION

FLASH POINT: None

EXTINGUISHING MEDIA: Not applicable

SECTION 9 REACTIVITY INFORMATION

INCOMPATIBILITY: Do not use with carbon steel or 304SS.

Avoid alkaline materials (eg. ammonia and its solutions, carbonates, sodium hydroxide (caustic), potassium hydroxide, calcium hydroxide (lime), cyanides, sulfides, hypochlorites, chlorites) which can generate heat with splattering or boiling and the release of toxic fumes.

FEEDING EQUIPMENT: Do not use with carbon steel or 3045S.

THERMAL DECOMPOSITION PRODUCTS: In the event of combustion CO, CO2 may be formed. Do not breathe smoke or fumes. Wear suitable protective equipment.

PAGE 2 OF 7





PRODUCT

NALCO 8344 IRON REMOVER

Emergency Telephone Number
Medical (708) 920-1510 (24 hours)

SECTION 10 PERSONAL PROTECTION EQUIPMENT

RESPIRATORY PROTECTION: Respiratory protection is not normally needed.

For large spills, entry into large tanks, vessels or enclosed small spaces with inadequate ventilation, a pressure-demand, self-contained breathing apparatus is recommended.

VENTILATION: General ventilation is recommended.

PROTECTIVE EQUIPMENT: Use impermeable gloves and chemical splash goggles when attaching feeding equipment or doing maintenance.

If clothing is contaminated, remove clothing and thoroughly wash the affected area. Launder contaminated clothing before reuse.

SECTION 11 SPILL AND DISPOSAL INFORMATION

IN CASE OF TRANSPORTATION ACCIDENTS, CALL THE FOLLOWING 24-HOUR TELEPHONE NUMBER (708-920-1510)

SPILL CONTROL AND RECOVERY:

Small liquid spills: Contain with absorbent material, such as clay, soil or any commercially available absorbent. Shovel reclaimed liquid and absorbent into recovery or salvage drums for disposal. Refer to CERCLA in Section 14.

Large liquid spills: Dike to prevent further movement and reclaim into recovery or salvage drums or tank truck for disposal. Refer to CERCLA in Section 14.

DISPOSAL: If this product becomes a waste, it meets the criteria of a hazardous waste as defined under the Resources Conservation and Recovery Act (RCRA) 40 CFR 261. Hazardous Waste D002.

As a hazardous liquid waste, it should be solidified with stabilizing agents (such as sand, fly ash, or cement) so that no free liquid remains before disposal to an industrial waste landfill. A hazardous liquid waste can also be deep-well injected in accordance with local, state, and federal regulations.

SECTION 12 ENVIRONMENTAL INFORMATION

BIOLOGICAL OXYGEN DEMAND (5-day BOD): 317,500 ppm

CHEMICAL OXYGEN DEMAND: 380,000 ppm

PAGE 3 OF 7



PRODUCT

NALCO 8344 IRON REMOVER

Emergency Telephone Number Medical (708) 920-1510 (24 hours)

SECTION 12 ENVIRONMENTAL INFORMATION

(CONTINUED)

TOC: 190,000 ppm

If released into the environment, see CERCLA in Section 14.

SECTION 13 TRANSPORTATION INFORMATION

DOT PROPER SHIPPING NAME/HAZARD CODE - ACID, LIQUID, N.O.S.

CORROSIVE MATERIAL NA 1760

CONTAINS

- CITRIC ACID

SECTION 14 REGULATORY INFORMATION

The following regulations apply to this product.

FEDERAL REGULATIONS:

OSHA'S HAZARD COMMUNICATION RULE, 29 CFR 1910.1200: Based on our hazard evaluation, the following ingredient in this product is hazardous and the reason is shown below.

Citric acid - Irritant

CERCLA/SUPERFUND, 40 CFR 117, 302: Notification of spills of this product is not required.

SARA/SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 (TITLE III) - SECTIONS 302, 311, 312 AND 313:

SECTION 302 - EXTREMELY HAZARDOUS SUBSTANCES (40 CFR 355): This product does not contain ingredients listed in Appendix A and B as an Extremely Hazardous Substance.

SECTIONS 311 and 312 - MATERIAL SAFETY DATA SHEET REQUIREMENTS (40 CFR 370): Our hazard evaluation has found this product to be hazardous. The product should be reported under the following EPA hazard categories:

- XX Immediate (acute) health hazard
- -- Delayed (chronic) health hazard
- -- Fire hazard
- -- Sudden release of pressure hazard
- -- Reactive hazard

Under Section 311, submittal of MSDS's or a list of product names to the local emergency planning commission, state emergency response commission and local

PAGE 4 OF 7





PRODUCT

NALCO 8344 IRON REMOVER

Emergency Telephone Number
Medical (708) 920-1510 (24 hours)

SECTION 14 REGULATORY INFORMATION

(CONTINUED)

fire department is required after October 17, 1987 if you have:

- 10,000 pounds or more of a hazardous substance, or
- 500 pounds or the threshold planning quantity, whichever is less, of an extremely hazardous substance.

SECTION 313 - LIST OF TOXIC CHEMICALS (40 CFR 372):
This product does not contain ingredients (at a level of 1% or greater) on the
List of Toxic Chemicals.

TOXIC SUBSTANCES CONTROL ACT (TSCA):
The chemical ingredients in this product are on the 8(b) Inventory List (40 CFR 710).

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA), 40 CFR 261 SUBPART C & D: If this product becomes a waste, it does not meet the criteria of a hazardous waste.

FEDERAL WATER POLLUTION CONTROL ACT, CLEAN WATER ACT, 40 CFR 401.15 (formerly Sec. 307), 40 CFR 116 (formerly Sec. 311): None of the ingredients are specifically listed.

CLEAN AIR ACT, 40 CFR 60, SECTION 111, 40 CFR 61, SECTION 112: This product does not contain ingredients covered by the Clean Air Act.

STATE REGULATIONS:

CALIFORNIA PROPOSITION 65:

None of the chemicals on the current Proposition 65 list are known to be present in this product.

MICHIGAN CRITICAL MATERIALS:

This product does not contain ingredients listed on the Michigan Critical Materials Register.

STATE RIGHT TO KNOW LAWS:

This product does not contain ingredients listed by State Right To Know Laws.

SECTION 15 ADDITIONAL INFORMATION

None

PAGE 5 OF 7



PRODUCT

NALCO 8344 IRON REMOVER

Emergency Telephone Number Medical (708) 920-1510 (24 hours)

SECTION 16 USER'S RESPONSIBILITY

This product material safety data sheet provides health and safety information. The product is to be used in applications consistent with our product literature. Individuals handling this product should be informed of the recommended safety precautions and should have access to this information. For any other uses, exposures should be evaluated so that appropriate handling practices and training programs can be established to ensure safe workplace operations. Please consult your local sales representative for any further information.

SECTION 17 BIBLIOGRAPHY

ANNUAL REPORT ON CARCINOGENS, U.S. Department of Health and Human Services, Public Health Service, PB 33-135855, 1983.

CASARETT AND DOULL'S TOXICOLOGY, THE BASIC SCIENCE OF POISONS, Doull, J., Klaassen, C. D., and Admur, M. O., eds., Macmillian Publishing Company, Inc., N. Y., 2nd edition, 1980.

CHEMICAL HAZARDS OF THE WORKPLACE, Proctor, N. H., and Hughes, J. P., eds., J. P. Lipincott Company, N.Y., 1981.

DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS, Sax, N. Irving, ed., Van Nostrand Reinhold Company, N.Y., 6th edition, 1984.

IARC MONOGRAPHS ON THE EVALUATION OF THE CARCINOGENIC RISK OF CHEMICALS TO MAN, Geneva: World Health Organization, International Agency for Research on Cancer, 1972-1977.

PATTY'S INDUSTRIAL HYGIENE AND TOXICOLOGY, Clayton, G. D., Clayton, F. E., eds., John Wiley and Sons, N. Y., 3rd edition, Vol. 2 A-C, 1981.

REGISTRY OF TOXIC EFFECTS ON CHEMICAL SUBSTANCES, U.S. Department of Health and Human Services, Public Health Service, Center for Disease Control, National Institute for Occupational Safety and Health, 1983 supplement of 1981-1982 edition, Vol. 1-3, OH, 1984.

Title 29 Code of Federal Regulations Part 1910, Subpart Z, Toxic and Hazardous Substances, Occupational Safety and Health Administration (OSHA).

THRESHOLD LIMIT VALUES FOR CHEMICAL SUBSTANCES AND PHYSICAL AGENTS IN THE WORKROOM ENVIRONMENT WITH INTENDED CHANGES, American Conference of Governmental Industrial Hygienists, OH.

PAGE 6 OF 7



PRODUCT

NALCO 8344 IRON REMOVER

Emergency Telephone Number Medical (708) 920-1510 (24 hours)

SECTION 17 BIBLIOGRAPHY

(CONTINUED)

PREPARED BY: Ricky A. Stackhouse PhD., Toxicologist

DATE CHANGED: 05/10/90

DATE PRINTED: 06/06/91

PAGE 7 OF 7



MATERIAL SAFETY DATA SHEE	MAT	ERIAL	SAFET	Y DAT	A SHEET
---------------------------	-----	-------	-------	-------	---------

PRODUCT		

Emergency Telephone Number Medical (708) 920-1510 (24 hours)